Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"5651006".pn. and address same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/21 17:05
L4	2	("6,026,397").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 18:03
S1	2	("6332142").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:00
S2	2	("5651006").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:36
S3	3085	@ad<"20010120" and (SNMP or (Simple with network with management with protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:49
S4	20161112	@ad<"20010120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:37
S5	7046	(SNMP or (Simple with network with management with protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:37
S6	1893	(SNMP or (Simple with network with management with protocol)) same ((management with information with base) or MIB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:45
S7	835	S6 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:37

S8	49	S7 and object with identif$ same attribut$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:38
S9	0	S8 and pluralit$ near IP with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:39
S10	18	S8 and addresses	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/04/20 15:40
S11	9	S8 and addresses with (IP or (internet with protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/04/20 15:40
S12	2367	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:50
S13	1078	S12 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:45
S15	282	S13 and IP near addresses	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/04/20 15:47
S16	23	S13 and plurality with IP with addresses	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:47
S17	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same intermediate near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:49
S18	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same intermediate near file same parse same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:49

S19	0	@ad<"20010120" and (SNMP or (Simple with network with management with protocol)) same (intermediate or temporary) near file same parse same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:49
S20	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same parse same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:50
S21	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:50
S22	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat$ and @ad<"20010125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:58
S23	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) same (intermediate or temporary) near file same translat$ and @ad<"20010120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:51
S24	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and translat$ same (intermediate or temporary) and @ad<"20010125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:58
S25	632	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and translat$ or parse same (intermediate or temporary) and @ad<"20010125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:58
S26	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and (translat$ or parse) same (intermediate or temporary) and @ad<"20010125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:59

S27	0	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and (translat$ or parse) same (intermediate or temporary) and @ad<"20010120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 15:59
S28	52	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 16:02
S29	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120" and (transition$ or intermed$ or temporar$ or temp or middle) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 16:11
S30	1	(SNMP or (Simple with network with management with protocol)) and ((management with information with base) or MIB) near file and @ad<"20010120" and (transition$ or intermed$ or temporar$ or temp or middle or translation$) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 16:20
S31	6	((management with information with base) or MIB) near file and @ad<"20010120" and (transition$ or intermed$ or temporar$ or temp or middle or translation$) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 17:59
S32	34	((management with information with base) or MIB) with file and @ad<"20010120" and (transition$ or intermed$ or temporar$ or temp or middle or translation$) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 18:44
S33	3	((management with information with base) or MIB) with file and @ad<"20010120" and (transition$ or intermed$ or temporar$ or temp or middle or translation$) near file and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 17:59
S34	2	("6061349").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:46

S35	2	("6058431").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:47
S36	2	("6055236").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S37	2	("6038233").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S38	2	("6028848").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S39	2	("5884246").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S40	2	("5793763").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S41	2	("5636216").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:48
S42	2	("5185860").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:49
S43	0	("(I35I36I37I38I39I40I41I42I43)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 18:49
S44	0	(S34 S35 S36 S37 S38 S39 S40 S41 S42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 18:49

S45	0	S34 S35 S36 S37 S38 S39 S40 S41 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 18:50
S46	18	S34 S35 S36 S37 S38 S39 S40 S41 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:50
S47	18	S46 and @ad<"20010120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:50
S48	0	S46 and @ad<"20010120" and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:50
S49	3	S46 and @ad<"20010120" and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:51
S50	0	S46 and @ad<"20010120" and ((management with information with base) or MIB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:56
S51	6543	@ad<"20010120" and ((management with information with base) or MIB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:56
S52	690	@ad<"20010120" and ((management with information with base) or MIB) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:56
S53	69	@ad<"20010120" and ((management with information with base) or MIB) with file same output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:59
S54	7	@ad<"20010120" and ((management with information with base) or MIB) with file same output same (pars$ or translat$ or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 18:57

S55	18	@ad<"20010120" and ((management with information with base) or MIB) with file same output and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 19:14
S56	245	winder-p$.xp,xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 19:17
S57	7	bruckart-b$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 19:15
S58	2	bates-k$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/20 19:15
S59	2	("5991050").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 09:46